



You insist on the highest quality so that your products perform in all conditions, both now and in the future. Only when all the components meet the highest standards you can achieve a service life of 25 years and beyond. Our aim is to help you achieve this goal.

For the production and the assembly of each individual module, for secure connections and cable routing, HellermannTyton is your ideal partner.

As specialists for cable ties, fastening systems, cable protection and identification solutions, we are constantly setting new standards – always with our customers objectives in mind. Our philosophy is to set ourselves the highest standards. We strive to match all of your requirements with customised solutions.

# You develop ideas for the energy of tomorrow. We implement them for you today.

Our industry expertise



You benefit from our capability to develop new, customised solutions as well as our existing, comprehensive product range of more than 50,000 articles. You can be sure that our products meet your needs and requirements.

That is why an open dialogue with you is our highest priority. Your industry experience combined with our first-class development competence leads to the kind of innovations that fulfil your requirements exactly. A worldwide network of visionary developers and skilled technicians is committed to achieve the optimal solution. Our combined know-how creates the innovations for the future.




Lasting and effective power output, safety, high mechanical strain, severe material wear, extremes of weather – the demands placed on solar energy systems are enormous. It's a good thing you can rely on the products and services of HellermannTyton.



Modern technology means shorter development times: the digital test model of a retaining clip.

# You place the highest demands on your products. We have the resources to meet them.


Our quality awareness



Precision meets passion: our company's tool and mould-building facilities.



Intensive and continuous testing is part of our comprehensive quality management.



HellermannTyton offers you many unique advantages.

- 1. We use only raw materials that satisfy our standards for high-quality and your particular applications.
- 2. Because we build our own tools and moulds, we can work to the highest level of precision right from the very beginning.
- Trust is good, control is better.
   We uphold the strictest criteria for work processes and product quality. That way, we can ensure a consistently high level of quality.

As a result our products for the solar industry are characterised by their durability, reliability and strength. They are resistant to UV-radiation, extremes of heat and cold, to flames, to vibration and to a wide range of industrial chemicals and substances.

For HellermannTyton, this extraordinary striving for quality is a matter of course. For you, it means very long service life of your solar systems, even under the most difficult conditions.





# You insist on the best components. We are happy to provide you with them.

# Our product range

The product portfolio of HellermannTyton grows each day and with each new challenge to design and manufacture customised solutions. The resulting variety might be to your advantage: With 50,000 different articles, we may already have exactly the right solution for you.

Our constant intensive analysis of the market enables us to recognise technical developments and market trends at an early stage. Attuned to the latest developments, our large team of experts continually tests innovative ideas and develops ground breaking products for the solar industry and many other industries as well.

You can also enjoy the benefits of HellermannTyton's extensive supply chain, which gives you the freedom to choose your preferred routes of supply. You can find our products at all leading electrical wholesalers or you can purchase directly. No matter which channel you choose: HellermannTyton offers you value that pays off immediately.

Our extensive network of branch offices and distribution partners around the world ensures flexible, reliable and fast service as well as delivery.

### Cable ties and fastening systems





Simply clip the **EdgeClip EC4A-W** to the edge of the module and bundle the solar cables with the pre-assembled UV weathering resistant ties.



The ideal solution for curved module edges: the **EdgeClip EC5B** series. The pre-assembled cable ties can be connected easily, thereby permitting cable bundles to rotate 90°.



The **EdgeClip EC39** is simply attached to the module edge. It routes up to 4 solar cables with a nominal cross-section of 4 mm<sup>2</sup> along the edge of the module. Cables can be removed easily from the retaining clip.



T-nuts in supporting frames are perfect fastening points for the **retaining clip combination ICD5x10** and **FT6LGSTUD5 with fir tree mount** allowing routing of 2 PV lines simultaneously.



Secure fixing and flexible handling: the **T50RFT8 retaining clip with fir tree mount** can be easily pressed into the M8 hole of a T-nut to route cable bundles in any direction.



With its omega-shaped holder, the **CTC retaining clip** pressed into the T-nut provides a secure fixing for a single cable, which can be removed at any time.





### Cable ties and fastening systems





The weather and UV-resistant cable ties of the T Series guarantee easy and secure assembly of cables and conduits to mounting bases.



Our SolidTack mounting base with high performance adhesive is ideally suited for fixing onto mounting rails of thin-film modules.

For extreme applications in very hot and dry climate zones - for instance in concentrator systems for photovoltaic facilities (CPV) or solar thermal energy conversion systems (CSP) in the desert - we offer MBT stainless steel ties with a patented, non-releasable locking mechanism.

### Heat shrinkable products



The thin wall TREDUX heat shrinkable tubing with a shrink ratio of 3:1 ensures reliable electrical insulation and mechanical protection of cables and conduits in power inverters.





The heat shrinkable Helashrink moulded **shapes** with an interior adhesive allow for very precise fitting, extremely robust connections and excellent corrosion protection at branches in string cabling.



The medium wall, 4:1 heat shrinkable tubing MA47 with thermoplastic adhesive lining provides reliable protection of cables in roof breakthroughs and PV connection cables against mechanical strain and the effects of weathering and the environment.





Thanks to its flexible profile, the **Helawrap cable protection system** can be quickly and easily installed on pre-mounted cables – as a time-saving solution for bundling, protecting and fastening cables and conduits like those in central power inverters.



HelaGuard HG-HI protective conduits made of polyamide 12 for dynamic applications can be mounted with a wide range of fittings. They are especially suitable for protecting engine cabling on solar tracking systems.



The close-fitting profile of **Flexiform edge protection grommet** strip provides clean and mechanically safe protection of cables and lines. For extreme demands, we also offer a UV-stable material design in PTFE.



The type T1-E **wiring ducts** with narrow but stable fingers are used in wiring cabinets, such as in central power inverters.







Our high performance, UV-resistant **adhesive labels** – applied on the cable or as a cable flag – are perfect for the identification of photovoltaic cables and solar panels in open space plants.

TT 4000+

TIPTAG identification tags, adhesive labels and heatshrink tubing are easily printed with the reliability of **thermal transfer printing using the TT4000\***.

**TIPTAG identification tags** were developed especially for constant exposure to harsh weather conditions and are very well suited for marking string cabling.



**M-BOSS stainless steel markers** are durable and clearly readable even under extreme conditions. HellermannTyton also offers embossing services according to individual specifications.



### You expect the highest possible standards. We offer you certified quality.

For your assurance - and the assurance of your customers - we continuously test and certify our products to the most recent international and local standards. Your insurance that you are always working at the highest technical level.







































ISO 14001

Are you interested in more information or would you like to discuss a specific solution? We are happy to assist you with all of our experience and almost unlimited technical possibilities.

**Sweden** Lennart Jonsson

Netherlands/Belgium Rik Vroege

Denmark

Bruno Petersen

**Finland** Harri Vesala

Norway

Arnfinn Alexandersen

Italy Francesco Sanfilippo

France Jérôme Mestre

**United Kingdom** 

Keith Lennox

Austria/Eastern Europe Karl Heinz Jenner

**Greece, Turkey; Egypt, Libya, Tunisia** Carsten Haack

Spain, Portugal, Algeria, Morocco Jordi Torres

**Poland** 

Grzegorz Kielek

Germany Georg Neureiter lennart.jonsson@HellermannTyton.se +46858089022

r.vroege@HellermannTyton.nl +31 (0)33 460 06 90

bruno.petersen@HellermannTyton.dk +45 23734520

harri.vesala@HellermannTyton.fi

+358 9 8700 450

arnfinn.alexandersen@HellermannTyton.no +4797 77 81 41

f.sanfilippo@HellermannTyton.it +39049767870

jmestre@HellermannTyton.fr +33 130138046

keith.lennox@HellermannTyton.co.uk +44 (0) 7980 873346

heinz.jenner@HellermannTyton.at +43 (0) 1 259 99 55-0

c.haack@HellermannTyton.de

+49 (0)41227010

jordi.torres@HellermannTyton.es +34 657 97 22 47

g.kielek@HellermannTyton.de +48 601 269596

g.neureiter@HellermannTyton.de +49 (0) 172 4034460

www.HellermannTyton.com



### We are there where you need us.

Our extensive network of personnel ensures that we are there for you worldwide. You can rely on us for speedy solutions, quick response times and complete reliability when it comes to sales and service.

### Europe

### HellermannTyton GmbH - Austria

Obachgasse 6 1221 Vienna Tel: +43 (0) 1 259 99 55 - 0 Fax: +43 (0)1 259 99 11 E-Mail: office@HellermannTyton.at www.HellermannTyton.at

# **HellermannTyton – Czech Republic** E-Mail: office.cz@HellermannTyton.at

HellermannTyton Denmark
Baldersbuen 15D 1. TV
2640 Hedehusene
Tel: +45 702 371 20
Fax: +45 702 371 21
E-Mail: htdk@HellermannTyton.dk

### HellermannTyton Oy – Finland

01510 Vantaa Tel: +358 9 8700 450 Fax: +358 9 8700 4520 E-Mail: myynti@HellermannTyton.fi www.HellermannTyton.fi

HellermannTyton S.A.S. – France 2 rue des Hêtres, B.P. 130 78196 Trappes Cedex Tel: +33 1 30 13 80 00 Fax: +33 1 30 13 80 60 E-Mail: info@HellermannTyton.fr www.HellermannTyton.fr

### HellermannTyton GmbH - Germany

Großer Moorweg 45 25436 Tornesch Tel: +49 4122 701-0 Fax: +49 4122 701-400 E-Mail: info@HellermannTyton.de www.HellermannTyton.de

HellermannTyton KFT – Hungary Kisfaludy u. 13 1044 Budapest Tel: +36 1 369 4151 Fax: +36 1 369 4151 E-Mail: office@HellermannTyton.hu www.HellermannTyton.hu

HellermannTyton S.r.l. – Italy Via Praimbole 9 Bis 35010 Limena (PD) Tel: +39 049 767 870 Fax: +39 049 767 985 E-Mail: info@HellermannTyton.it www.HellermannTyton.it

### HellermannTyton Ltd - Ireland

Unit 77 Cherry Orchard Industrial Estate Ballyfermot, Dublin 10 Tel: +353 1 626 8267 Fax: +353 1 626 8022 E-Mail: sales@HellermannTyton.ie

# HellermannTyton B.V. – Belgium/Netherlands

Vanadiumweg 11-C 3812 PX Amersfoort Tel: +31 (0) 33 460 06 90 Fax: +31 (0) 33 460 06 99 E-Mail (NL): info@HellermannTyton.nl E-Mail (BE): info@HellermannTyton.be www.HellermannTyton.nl www.HellermannTyton.be

### HellermannTyton AS – Norway

PO Box 240 Alnabru 0614 Oslo Tel: +47 23 17 47 00 Fax: +47 22 97 09 70 E-Mail: firmapost@HellermannTyton.no www.HellermannTyton.no

# HellermannTyton – Poland E-Mail: info@HellermannTyton.pl www.HellermannTyton.pl

OOO HellermannTyton – Russia

St. Petersburg E-Mail: info@HellermannTyton.ru www.HellermannTvton.ru

# **HellermannTyton – Slovenia** Branch Office Ljubljana

Trubarjeva 79 1101 Ljubljana Tel: +386 1 433 70 56 Fax: +386 1 433 63 21 E-Mail: sales@HellermannTyton.si www.HellermannTyton.si

### HellermannTyton España s.l. -

Avda. de la Industria nº 37, 2º 2ª 28.108 Alcobendas, Madrid Tel: +34 91 661 2835 Fax: +34 91 661 2368 E-Mail: HellermannTyton@HellermannTyton.es www.HellermannTyton.es

**HellermannTyton AB – Sweden** Datavägen 5, PO Box 569 17526 Järfälla 17326 3414114 Tel: +46 8 580 890 00 Fax: +46 8 580 890 01 E-Mail: support@HellermannTyton.se www.HellermannTyton.se

### HellermannTyton Ltd - UK

William Prance Road Plymouth International Medical and Technology Park Plymouth Dévon PL6 5WR United Kingdom Tel +44 (0) 1752 701 261 Fax +44 (0) 1752 790 058 E-Mail: info@HellermannTyton.co.uk

### HellermannTyton Ltd - UK

HellermannTyton Ltd – UK
Sharston Green Business Park
1 Robeson Way
Altrincham Road, Wythenshawe
Manchester M22 4TY
Tel: +44 161 947 2200
Fax: +44 161 947 2220
E-Mail: sales@HellermannTyton.co.uk
www.HellermannTyton.co.uk

## HellermannTyton Ltd - UK

Hellermann lyton Ltd – UK
Main Contact for Customer Service
Wharf Approach
Aldridge, Walsall, West Midlands
WS9 8BX
Tel: +44 1922 458 151
Fax: +44 1922 743 237
E-Mail: info@HellermannTyton.co.uk
www.HellermannTyton.co.uk

### HellermannTyton Data Ltd - UK

43-45 Salthouse Road Cornwell Business Park Brackmills Northampton NN4 7EX Tel: +44 1604 707 420 Fax: +44 1604 705 454 E-Mail: hns@htdata.co.uk www.htdata.co.uk

### North America

HellermannTyton – Canada Tel: +1 905 726 1221 Fax: +1 905 726 8538 E-Mail: sales@HellermannTyton.ca www.HellermannTyton.ca

**HellermannTyton – Mexico** Tel: +52 333 133 9880 Fax: +52 333 133 9861 E-Mail: info@HellermannTyton.com.mx www.HellermannTyton.com

**HellermannTyton – USA** Tel: +1 414 355 1130 Fax: +1 414 355 7341 E-Mail: corp@htamericas.com www.HellermannTyton.com

### South America

**HellermannTyton – Argentina** Tel: +54 11 4754 5400 Fax: +54 11 4752 0374 E-Mail: ventas@HellermannTyton.com.ar www.HellermannTyton.com.ar

**HellermannTyton – Brazil** Tel: +55 11 4815 9000 Fax: +55 11 4815 9030 E-Mail: vendas@HellermannTyton.com.br www.HellermannTyton.com.br

### Asia-Pacific

HellermannTyton – Australia Tel: +61 2 9525 2133 Fax: +61 2 9526 2495 E-Mail: cservice@HellermannTyton.com.au www.HellermannTyton.com.au

HellermannTyton – China
Tel: +86 510 8528 2536
Fax: +86 510 8528 2731
E-Mail: cservice@HellermannTyton.com.cn www.HellermannTvton.com.cn

**HellermannTyton – Hong Kong** Tel: +852 2832 9090 Fax: +852 2832 9381 E-Mail: cservice@HellermannTyton.com.hk www.HellermannTyton.com.sq

**HellermannTyton – India** Tel: +91 11-2620 9230/6661 9230 Fax: +91 11-2620 9330/6661 9330 E-Mail: cservice@HellermannTyton.co.in www.HellermannTyton.co.in

**HellermannTyton – Japan** Tel: +81 3 5790 3111 Fax: +81 3 5790 3112 E-Mail: cservice@HellermannTyton.co.jp www.HellermannTyton.co.jp

### HellermannTyton - Korea

Tel: +82 2 2614 0157 Fax: +82 2 2614 0284 E-Mail: cservice@HellermannTyton.co.kr www.HellermannTyton.co.kr

**HellermannTyton – Philippines** Tel: +63 2 752 6551 Fax: +63 2 752 6553 E-Mail: cservice@HellermannTyton.com.ph www.HellermannTyton.com.ph

# HellermannTyton – Singapore Tel: +65 6 852 8585

Fax: +65 6 756 6798 E-Mail: cservice@HellermannTyton.sg www.HellermannTyton.com.sg

### HellermannTyton - Thailand

Tel: +66 2 237 6702 Fax: +66 2 266 8664 E-Mail: cservice@HellermannTyton.com.th www.HellermannTyton.com.sg

### HellermannTyton - South Africa

Tel: +27 11 879 6680 Fax: +27 11 879 6601 E-Mail: sales.jhb@Hellermann.co.za www.HellermannTyton.co.za

www.HellermannTyton.com

